

```
version 12.3
service timestamps debug uptime
service timestamps log uptime
no service password-encryption
!
hostname WDC_HA
!
enable password cisco
!
username all
ip subnet-zero
!
!
!
ip multicast-routing
!
!
!
!
!
!
!
no voice hpi capture buffer
no voice hpi capture destination
!
!
mta receive maximum-recipients 0
!
!
!
!
interface Loopback0
 ip address 1.1.1.1 255.255.255.0
!
interface FastEthernet0/0
 ip address 192.168.20.33 255.255.255.240
 ip pim sparse-mode
 duplex auto
 speed auto
!
interface FastEthernet0/1
 no ip address
 shutdown
 duplex auto
 speed auto
 no cdp enable
!
interface FastEthernet1/0
 ip address 192.168.1.0 255.255.255.0
 ip pim sparse-mode
 duplex auto
 speed auto
```

```
!  
interface Serial1/0  
  no ip address  
  shutdown  
  clockrate 2000000  
  no fair-queue  
  no cdp enable  
!  
interface FastEthernet1/1  
  no ip address  
  shutdown  
  duplex auto  
  speed auto  
  no cdp enable  
!  
interface Serial1/1  
  no ip address  
  shutdown  
  clockrate 2000000  
  no cdp enable  
!  
router mobile  
!  
router ospf 64  
  log-adjacency-changes  
  redistribute static  
  redistribute mobile subnets  
  network 1.1.1.0 0.0.255.255 area 0  
  network 192.168.20.0 0.0.0.255 area 0  
  network 192.168.1.0 0.0.0.255 area 0  
!  
no ip http server  
ip classless  
!  
ip pim bidir-enable  
ip mobile home-agent  
ip mobile virtual-network 192.200.20.0 255.255.0.0  
ip mobile host 192.200.20.1 virtual-network 192.200.20.0  
255.255.255.0  
ip mobile mobile-networks 192.200.20.1  
  register  
ip mobile secure host 1.1.1.1 spi 100 key ascii TEST  
!  
!  
!  
!  
call rsvp-sync  
!  
!  
mgcp profile default  
!  
!  
!  
dial-peer cor custom
```

```
!  
!  
!  
!  
line con 0  
  stopbits 1  
line aux 0  
line vty 0 4  
  login  
!  
scheduler max-task-time 5000  
end
```